## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS:**

- 1-21. (Canceled).
- 22. (Currently Amended) The expression vector according to claim 21 method of claim 29 or 38, wherein the said nucleotide sequences code sequence coding for a NS3/NS4 polyprotein of a HCV and a said nucleotide sequence coding for a NS5b polypeptide of a HCV originating originate from viruses of different genotypes.
- 23. (Currently Amended) The expression vector according to claim 21 method of claim 29 or 38, wherein the said nucleotide sequences codesequence coding for a NS3/NS4 polyprotein of a HCV and a said nucleotide sequence coding for a NS5b polypeptide of a HCV originating originate from a virus of the same genotype.
- 24. (Currently Amended) The expression vector according to claim 21 method of claim 29 or 38, wherein said expression vector is an adenovirus vectors(s) are adenoviruses.
- 25. (Currently Amended) The expression vector according to method of claim 24, wherein the genome of the adenovirus is modified so as to replace the El region by the expression cassette CMV-NS3-NS4 and to replace the E3 region by the expression cassette SV40-NS5b.
- 26. (Currently Amended) The expression vector according to claim 21 method of claim 29 or 38, wherein said expression vector is a poxvirus vectors are poxviruses.
- 27. (Currently Amended) The expression vector according to method of claim 26, wherein the genome of the poxvirus is modified so as to insert the expression cassette ph5r-NS3-NS4 and to insert the expression cassette p7.5- NS5b.

- 28. (Canceled).
- 29. (Currently Amended) A method for the inhibition or control of an infection caused by hepatitis C virus (HCV) in an animal, wherein said method comprises administering to an animal in need thereof an effective amount of at least one of the following:
- (a) (i) an expression vector comprising HCV coding sequences, wherein said HCV coding sequences consist of a nucleotide sequence coding for an NS3/NS4 polyprotein of a HCV, and (ii) an expression vector comprising HCV coding sequences, wherein said HCV coding sequences consist of a nucleotide sequence coding for an NS5b polypeptide of a HCV; and
- (b) an expression vector comprising HCV coding sequences, wherein said HCV coding sequences consist of (i) a nucleotide sequence coding for an NS3/NS4 polyprotein of a HCV and (ii) a nucleotide sequence coding for an NS5b polypeptide of a HCV; wherein:

  said method does not comprise administering a nucleotide sequence coding for an NS5a polypeptide of a HCV
  - (a) the expression vector according to claim 21;
- (b) an expression vector for expression of a nucleotide sequence coding for the polyprotein NS3/NS4 of the hepatitis C virus and a vector for expression of a nucleotide sequence coding for the polypeptide NS5b of the hepatitis C virus; or
- (c) an expression vector for expression of nucleotide sequences coding for the polyprotein NS3/NS4 of the hepatitis C virus and the polypeptide NS5b of the hepatitis C virus placed under the control of elements necessary to an expression constitutive of and/or inducible from said polyprotein NS3/NS4 of the hepatitis C virus and said polypeptide NS5b of the hepatitis C virus.
  - 30-35. (Canceled).
- 36. (Currently Amended) The expression vector according to claim 23 method of claim 29 or 38, wherein said nucleotide sequence coding for a NS3/NS4 polyprotein of a

HCV and said nucleotide sequence coding for a NS5b polypeptide of a HCV originate nucleotide sequences code for a polyprotein and a polypeptide originating from a virus-HCV of genotype 1b.

- 37. (Previously Presented) The method of claim 29, wherein said animal is a human.
- 38. (Currently Amended) A method of inducing an immune response in an animal, infected by the hepatitis C virus wherein said method comprises administering to an said animal in need thereofan effective amount of at least one of the following:
- (a) (i) an expression vector comprising HCV coding sequences, wherein said HCV coding sequences consist of a nucleotide sequence coding for an NS3/NS4 polyprotein of a HCV, and (ii) an expression vector comprising HCV coding sequences, wherein said HCV coding sequences consist of a nucleotide sequence coding for an NS5b polypeptide of a HCV; and
- (b) an expression vector comprising HCV coding sequences, wherein said HCV coding sequences consist of (i) a nucleotide sequence coding for an NS3/NS4 polyprotein of a HCV and (ii) a nucleotide sequence coding for an NS5b polypeptide of a HCV; wherein:

  said method does not comprise administering a nucleotide sequence coding for an NS5a polypeptide of a HCV
  - (a) the expression vector according to claim 21;
- (b) an expression vector for expression of a nucleotide sequence coding for the polyprotein NS3/NS4 of the hepatitis C virus and an expression vector for expression of a nucleotide sequence coding for the polypeptide NS5b of the hepatitis C virus; or
- (c) an expression vector for expression of nucleotide sequences coding for the polyprotein NS3/NS4 of the hepatitis C virus and the polypeptide NS5b of the hepatitis C virus placed under the control of elements necessary to an expression constitutive of and/or inducible from said polyprotein NS3/NS4 of the hepatitis C virus and said polypeptide NS5b of the hepatitis C virus.
- 39. (Currently Amended) The method according toof claim 38, wherein said immune response is a cell immune response.

Patent
Application No. <u>10/559,431</u>
Attorney's Docket No. <u>1034548-000001</u>
Page 5

- 40. (Currently Amended) The method according toof claim 38, wherein said animal is a human.
- 41. (New) The method of claim 29 or claim 38, wherein said HCV coding sequences are operatively linked to one or more regulatory elements sufficient for the expression of said NS3/NS4 polyprotein and said NS5b polypeptide.